

Package: AIGRA (via r-universe)

July 21, 2026

Title Agentic Item Generation, Review, and Analysis

Version 0.2.0

Author Moses O. Omopekunola [aut, cre]

Maintainer Moses O. Omopekunola <omopekunola.m@hse.ru>

Description Provides tools for validating, generating, reviewing, reporting, and visualising assessment item generation workflows. The package supports tabular item-bank templates, item-bank validation, 'Python'-backed agentic generation workflows, multimodal diagram generation, quality summaries, and 'HTML' reporting. External artificial intelligence services and related 'API' calls require user-supplied credentials and are not called during package checks. The workflow is informed by automatic item generation methods described by Gierl and Haladyna (2013, ISBN:9780415897518) and evidence-centered assessment design described by Mislevy et al. (2003) <doi:10.1002/j.2333-8504.2003.tb01908.x>.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

Imports graphics, grid, reticulate, utils, grDevices,

Suggests base64enc, png, readxl, rmarkdown, writexl

Config/roxygen2/version 8.0.0

Config/pak/sysreqs libpng-dev python3

Repository https://moo-dio.r-universe.dev

Date/Publication 2026-07-21 19:05:27 UTC

RemoteUrl https://github.com/MOO-DIO/AIGRA

RemoteRef main

RemoteSha c367a594aaeb62b2762b6fc5fcf51c29dd88d4ec

Contents

aigra_apply_diagram_agent	3
aigra_backend_help	3
aigra_backend_path	4
aigra_build_diagram_prompt	4
aigra_build_diagram_prompt_from_row	5
aigra_create_sample_source_diagrams	5
aigra_detect_diagram_required	6
aigra_example_item_bank	6
aigra_find_uv	7
aigra_generate_diagram	7
aigra_generate_diagram_fallback	8
aigra_generate_from_data	8
aigra_generate_items	9
aigra_generate_multimodal_tabular_items	11
aigra_generate_result_diagrams	12
aigra_generate_result_diagrams_auto	13
aigra_generate_tabular_items	14
aigra_image_models	15
aigra_latest_csv	15
aigra_latest_output	16
aigra_list_outputs	16
aigra_localize_diagram_prompts	16
aigra_multimodal_template_items	17
aigra_output_dir	17
aigra_outputs	18
aigra_parse_items	18
aigra_parse_tabular_items	19
aigra_plot_diagram	19
aigra_plot_summary	20
aigra_print_summary	20
aigra_print_validation	21
aigra_python_info	21
aigra_read_latest_csv	22
aigra_read_latest_output	22
aigra_read_template	22
aigra_repair_diagram_prompts	23
aigra_set_api_keys	24
aigra_set_backend	25
aigra_show_result_diagram	25
aigra_status	26
aigra_summarise_output	26
aigra_template_items	27
aigra_translate_diagram_prompts	27
aigra_use_backend	28
aigra_validate_tabular_items	28
aigra_write_admin_html	29

aigra_backend_path	<i>Get AIGRA backend path</i>
--------------------	-------------------------------

Description

Returns the configured AIGRA Python backend path.

Usage

```
aigra_backend_path()
```

Details

AIGRA first checks the active session configuration. If no backend has been set in the current R session, it checks the AIGRA_BACKEND_PATH environment variable.

Value

Backend path as a character string.

aigra_build_diagram_prompt	<i>Build a safe diagram prompt from an item stem</i>
----------------------------	--

Description

Build a safe diagram prompt from an item stem

Usage

```
aigra_build_diagram_prompt(
  stem,
  option_A = "",
  option_B = "",
  option_C = "",
  option_D = ""
)
```

Arguments

stem	Item stem.
option_A	Option A.
option_B	Option B.
option_C	Option C.
option_D	Option D.

Value

A diagram-generation prompt.

aigra_build_diagram_prompt_from_row
<i>Build a diagram prompt from a result row</i>

Description

Build a diagram prompt from a result row

Usage

aigra_build_diagram_prompt_from_row(result, row = 1)

Arguments

- | | |
|--------|---------------------------------|
| result | A data frame returned by AIGRA. |
| row | Row number. |

Value

A diagram prompt.

aigra_create_sample_source_diagrams
<i>Create source diagrams for the AIGRA multimodal template</i>

Description

Create source diagrams for the AIGRA multimodal template

Usage

aigra_create_sample_source_diagrams(diagram_dir)

Arguments

- | | |
|-------------|---|
| diagram_dir | Directory where source diagram PNG files should be saved. |
|-------------|---|

Value

Named character vector of diagram paths.

aigra_detect_diagram_required
<i>Detect whether an item likely requires a diagram</i>

Description

Uses rule-based visual triggers in the item stem, topic, objective, and options.

Usage

```
aigra_detect_diagram_required(stem, topic = "", objective = "", options = "")
```

Arguments

stem	Item stem.
topic	Optional topic.
objective	Optional objective.
options	Optional option text.

Value

TRUE or FALSE.

aigra_example_item_bank
<i>Get path to bundled AIGRA example item bank</i>

Description

Get path to bundled AIGRA example item bank

Usage

```
aigra_example_item_bank()
```

Value

Path to the bundled example CSV item bank.

aigra_find_uv	<i>Find uv executable</i>
---------------	---------------------------

Description

Find uv executable

Usage

```
aigra_find_uv()
```

Value

Path to uv executable.

aigra_generate_diagram	<i>Generate a single AIGRA diagram from a prompt</i>
------------------------	--

Description

Generate a single AIGRA diagram from a prompt

Usage

```
aigra_generate_diagram(  
    prompt,  
    output_path,  
    provider = "gemini",  
    model = "gemini-2.5-flash-image",  
    size = "1024x1024"  
)
```

Arguments

prompt	Diagram prompt.
output_path	Output PNG path.
provider	Image provider.
model	Image model.
size	Image size.

Value

Output path.

```
aigra_generate_diagram_fallback
```

Generate a diagram with fallback image models

Description

Tries multiple image-generation models in order until one succeeds.

Usage

```
aigra_generate_diagram_fallback(
  prompt,
  output_path,
  provider = "gemini",
  models = c("gemini-2.5-flash-image", "gemini-3.1-flash-image-preview",
    "gemini-3-pro-image-preview"),
  size = "1024x1024"
)
```

Arguments

prompt	Diagram prompt.
output_path	Output PNG path.
provider	Image provider.
models	Character vector of model names to try in order.
size	Image size.

Value

Output path.

```
aigra_generate_from_data
```

Generate AIGRA items from an R data frame

Description

Alias for [aigra_generate_items\(\)](#). This function is kept for readability.

Usage

```
aigra_generate_from_data(data, ...)
```

Arguments

data A data frame with the standard AIGRA tabular columns.
 ... Additional arguments passed to `aigra_generate_items()`.

Value

The result returned by `aigra_generate_items()`.

Examples

```
## Not run:
template <- aigra_read_template("template.csv")
result <- aigra_generate_from_data(data = template, provider = "gemini")

## End(Not run)
```

aigra_generate_items *Generate and review assessment items*

Description

Runs the AIGRA Python backend pipeline to generate, solve, review, and export assessment items. This user-facing wrapper accepts an AIGRA tabular item bank that has already been loaded into R as a data frame. To use CSV or XLSX files, first call `aigra_read_template()` and pass the resulting data frame to this function.

Usage

```
aigra_generate_items(
  data,
  model = "gemini-3.1-pro-preview",
  provider = "auto",
  gemini.API = NULL,
  openai.API = NULL,
  groq.API = NULL,
  anthropic.API = NULL,
  backend_path = NULL,
  ...
)

aigra_generate_items(
  data,
  model = "gemini-3.1-pro-preview",
  provider = "auto",
  gemini.API = NULL,
  openai.API = NULL,
  groq.API = NULL,
```

```

    anthropic.API = NULL,
    backend_path = NULL,
    ...
)

```

Arguments

<code>data</code>	A data frame with the standard AIGRA tabular columns.
<code>model</code>	Model name to use.
<code>provider</code>	LLM provider. Use "auto", "gemini", "openai", "groq", or "anthropic", depending on the backend configuration.
<code>gemini.API</code>	Optional Gemini API key.
<code>openai.API</code>	Optional OpenAI API key.
<code>groq.API</code>	Optional Groq API key.
<code>anthropic.API</code>	Optional Anthropic API key.
<code>backend_path</code>	Optional path to the AIGRA Python backend.
<code>...</code>	Additional arguments passed to aigra_generate_tabular_items() .

Value

A data frame if `read_csv` is TRUE; otherwise invisibly returns latest CSV path.

A data frame or list returned by the AIGRA tabular generation backend.

Examples

```

## Not run:
template <- aigra_read_template("template.xlsx")

result <- aigra_generate_items(
  data = template,
  provider = "gemini",
  model = "gemini-2.5-flash",
  source_language = "English",
  target_language = "English",
  n_clones = 1,
  max_items = 1
)

## End(Not run)

```

aigra_generate_multimodal_tabular_items

Generate multimodal items from a tabular item bank

Description

Runs item generation and diagram generation in one workflow.

Usage

```
aigra_generate_multimodal_tabular_items(
    file_path,
    provider = "gemini",
    model = "gemini-3.1-pro-preview",
    image_provider = "gemini",
    image_model = "gemini-3-pro-image-preview",
    source_language = "English",
    target_language = "English",
    subject = "General",
    exam = "AIGRA Multimodal Item Bank",
    n_clones = 1,
    max_items = NULL,
    max_images = NULL,
    write_reports = TRUE,
    include_key = TRUE,
    only_accepted = TRUE
)
```

Arguments

file_path	Path to CSV or Excel item bank.
provider	Text-generation provider.
model	Text-generation model.
image_provider	Image-generation provider.
image_model	Image-generation model.
source_language	Source language of the input item bank.
target_language	Target language for generated items.
subject	Subject area for item generation.
exam	Examination, assessment, or project name.
n_clones	Number of clones to generate per source item.
max_items	Maximum number of source items to process.
max_images	Maximum diagrams to generate. Use NULL for all generated rows.

- write_reports If TRUE, writes quality and administration HTML reports.
- include_key If TRUE, include answer key in administration HTML.
- only_accepted If TRUE, administration HTML includes only ok/edited rows.

Details

Text-only items are generated normally. Items that require diagrams are processed through the Source Diagram Agent and Clone Diagram Agent.

Value

A list containing result, result_with_diagrams, report_path, admin_file, and student_file.

aigra_generate_result_diagrams
<i>Generate diagrams for rows in an AIGRA result</i>

Description

Generates diagram images for result rows and returns the updated data frame with diagram_path, diagram_prompt, image_provider, and image_model columns.

Usage

```
aigra_generate_result_diagrams(  
  result,  
  output_dir = NULL,  
  provider = "gemini",  
  model = "gemini-2.5-flash-image",  
  rows = NULL,  
  only_required = TRUE,  
  force = FALSE,  
  max_images = 1,  
  overwrite = FALSE  
)
```

Arguments

- result A data frame returned by AIGRA.
- output_dir Directory for generated images.
- provider Image provider.
- model Image model.
- rows Optional row numbers to process.
- only_required If TRUE, process only rows where diagram_required is true.
- force If TRUE, generate even when diagram_required is false or missing.
- max_images Maximum number of images to generate.
- overwrite If TRUE, overwrite existing image files.

Value

Updated result data frame.

aigra_generate_result_diagrams_auto
<i>Generate diagrams using the AIGRA Diagram Agent</i>

Description

Applies the Diagram Agent, then generates diagrams for rows marked as requiring diagrams.

Usage

```
aigra_generate_result_diagrams_auto(  
  result,  
  provider = "gemini",  
  model = "gemini-3-pro-image-preview",  
  rows = NULL,  
  max_images = 3,  
  overwrite = FALSE  
)
```

Arguments

result	A data frame returned by AIGRA.
provider	Image provider.
model	Image model.
rows	Optional row numbers to process.
max_images	Maximum number of images to generate.
overwrite	If TRUE, overwrite existing image files.

Value

Updated result data frame with diagram paths.

aigra_generate_tabular_items

Generate items from a tabular item bank

Description

Runs the AIGRA generation, solver, critic, and export pipeline using a CSV or Excel item bank.

Usage

```
aigra_generate_tabular_items(
    file_path,
    provider = "gemini",
    model = "gemini-3.1-pro-preview",
    source_language = "English",
    target_language = "English",
    review_language = "English",
    subject = "General",
    exam = "Item Bank",
    n_clones = 1,
    max_items = NULL,
    output_dir = NULL,
    read_csv = TRUE
)
```

Arguments

file_path	Path to CSV or Excel item bank.
provider	LLM provider, such as "gemini", "openai", "groq", or "anthropic".
model	Provider model name.
source_language	Source language of the input item bank.
target_language	Target language for generated items.
review_language	Language to use for automated review feedback.
subject	Subject area for item generation.
exam	Examination, assessment, or project name.
n_clones	Number of clones to generate per source item.
max_items	Maximum number of source items to process.
output_dir	Optional output directory.
read_csv	Logical; if TRUE, read and return the generated CSV output when available.

Value

A data frame if read_csv is TRUE; otherwise invisibly returns the CSV path.

aigra_image_models	<i>List supported AIGRA image models</i>
--------------------	--

Description

Returns the image model registry known to AIGRA. This function is CRAN-safe and does not call external APIs or require the Python backend.

Usage

```
aigra_image_models(provider = NULL)
```

Arguments

provider Optional image provider, such as "gemini" or "openai".

Value

Supported image models.

aigra_latest_csv	<i>Get latest AIGRA CSV output path</i>
------------------	---

Description

Get latest AIGRA CSV output path

Usage

```
aigra_latest_csv()
```

Value

Path to latest CSV output.

aigra_latest_output	<i>Get latest AIGRA CSV output path</i>
---------------------	---

Description

Get latest AIGRA CSV output path

Usage

aigra_latest_output()

Value

Path to the latest AIGRA CSV output.

aigra_list_outputs	<i>List AIGRA output files</i>
--------------------	--------------------------------

Description

Lists generated CSV and JSONL files from the backend output directory.

Usage

aigra_list_outputs()

Value

A data frame of output files.

aigra_localize_diagram_prompts	<i>Localize AIGRA diagram prompts</i>
--------------------------------	---------------------------------------

Description

Adds a language instruction to diagram prompts so generated diagrams use the target language for visible labels.

Usage

aigra_localize_diagram_prompts(result, target_language = "English")

Arguments

- result A data frame returned by AIGRA.
- target_language Target language for localized diagram prompts.

Value

Updated result data frame.

aigra_multimodal_template_items	<i>Create AIGRA multimodal template items</i>
---------------------------------	---

Description

Create AIGRA multimodal template items

Usage

```
aigra_multimodal_template_items(diagram_dir = NULL, create_diagrams = TRUE)
```

Arguments

- diagram_dir Directory where source diagrams are stored or should be created.
- create_diagrams If TRUE, creates sample source diagram PNG files.

Value

A data frame containing multimodal sample items.

aigra_output_dir	<i>AIGRA output directory</i>
------------------	-------------------------------

Description

AIGRA output directory

Usage

```
aigra_output_dir()
```

Value

Path to the backend output directory.

aigra_outputs	<i>List AIGRA output files</i>
---------------	--------------------------------

Description

List AIGRA output files

Usage

```
aigra_outputs(pattern = "aigra(_tabular)?_results_.*\\.\\.(csv|jsonl)$")
```

Arguments

pattern	File-name pattern.
---------	--------------------

Value

A data frame of output files.

aigra_parse_items	<i>Parse assessment items from a PDF</i>
-------------------	--

Description

Parses a supported assessment-item PDF through the AIGRA Python backend and returns a data frame of source items.

Usage

```
aigra_parse_items(
  pdf_path = NULL,
  source_language = "Russian",
  subject = "Physics",
  exam = "Kazakhstan UNT"
)
```

Arguments

pdf_path	Path to the source PDF file containing assessment items.
source_language	Source language of the input assessment items.
subject	Subject area of the assessment items.
exam	Examination, assessment, or project name.

Value

A data frame of parsed assessment items.

aigra_parse_tabular_items	<i>Parse tabular item bank</i>
---------------------------	--------------------------------

Description

Parses a CSV or Excel item bank directly from the supplied file path.

Usage

```
aigra_parse_tabular_items(  
  file_path,  
  source_language = "English",  
  subject = "General",  
  exam = "Item Bank"  
)
```

Arguments

file_path	Path to CSV or Excel item bank.
source_language	Source language of the input tabular item bank.
subject	Subject area of the assessment items.
exam	Examination, assessment, or project name.

Value

A data frame of parsed assessment items.

aigra_plot_diagram	<i>Plot an AIGRA diagram image</i>
--------------------	------------------------------------

Description

Plot an AIGRA diagram image

Usage

```
aigra_plot_diagram(image_path)
```

Arguments

image_path	Path to a PNG image.
------------	----------------------

Value

Invisibly returns the image path.

aigra_plot_summary	<i>Plot AIGRA output quality summary</i>
--------------------	--

Description

Creates a simple bar chart of item review statuses in an AIGRA output.

Usage

```
aigra_plot_summary(data = NULL)
```

Arguments

data	Optional AIGRA output data frame. If NULL, reads the latest CSV output.
------	---

Value

Invisibly returns the status table used for plotting.

aigra_print_summary	<i>Print an AIGRA quality summary</i>
---------------------	---------------------------------------

Description

Prints a compact quality summary for an AIGRA output.

Usage

```
aigra_print_summary(data = NULL)
```

Arguments

data	Optional AIGRA output data frame. If NULL, reads the latest CSV output.
------	---

Value

Invisibly returns the summary list.

`aigra_print_validation`*Print tabular item-bank validation results*

Description

Print tabular item-bank validation results

Usage

```
aigra_print_validation(validation)
```

Arguments

`validation` Validation result returned by `aigra_validate_tabular_items()`.

Value

Invisibly returns the validation object.

`aigra_python_info`*Show AIGRA Python environment information*

Description

Show AIGRA Python environment information

Usage

```
aigra_python_info(backend_path = NULL)
```

Arguments

`backend_path` Path to the AIGRA_BACKEND folder.

Value

A list with Python environment information.

`aigra_read_latest_csv` *Read latest AIGRA CSV output*

Description

Read latest AIGRA CSV output

Usage

```
aigra_read_latest_csv()
```

Value

A data frame containing the latest AIGRA CSV output.

`aigra_read_latest_output`
Read latest AIGRA CSV output

Description

Read latest AIGRA CSV output

Usage

```
aigra_read_latest_output()
```

Value

A data frame containing the latest AIGRA CSV output.

`aigra_read_template` *Read an AIGRA template from CSV or XLSX*

Description

Reads an AIGRA tabular item-bank template into R as a data frame. CSV files are read as UTF-8 by default. XLSX files require the readxl package.

Usage

```
aigra_read_template(path, sheet = 1, fileEncoding = "UTF-8", ...)
```

Arguments

path	Path to a CSV, XLSX, or XLS template file.
sheet	Sheet name or sheet index for XLSX files. Defaults to the first sheet.
fileEncoding	Encoding used for CSV files. Defaults to UTF-8.
...	Additional arguments passed to the underlying reader.

Value

A data frame with the standard AIGRA template columns.

Examples

```
## Not run:
template <- aigra_read_template("template.csv")
template <- aigra_read_template("template.xlsx")

## End(Not run)
```

aigra_repair_diagram_prompts

Repair diagram prompts for diagram-dependent AIGRA results

Description

Strengthens diagram prompts when a generated item requires a figure but the prompt is too vague for solving/review.

Usage

```
aigra_repair_diagram_prompts(result)
```

Arguments

result	A data frame returned by AIGRA.
--------	---------------------------------

Value

Updated result data frame.

aigra_set_api_keys	<i>Set API keys for AIGRA providers</i>
--------------------	---

Description

Stores API keys in the current R session so that the Python backend can use them.

Sets API keys for supported providers from within R. These environment variables are inherited by the external 'Python' backend when generation functions are called.

Usage

```
aigra_set_api_keys(  
  gemini.API = NULL,  
  openai.API = NULL,  
  groq.API = NULL,  
  anthropic.API = NULL  
)
```

```
aigra_set_api_keys(  
  gemini.API = NULL,  
  openai.API = NULL,  
  groq.API = NULL,  
  anthropic.API = NULL  
)
```

Arguments

gemini.API	Optional 'Gemini' API key.
openai.API	Optional 'OpenAI' API key.
groq.API	Optional 'Groq' API key.
anthropic.API	Optional 'Anthropic' API key.

Value

Invisibly returns TRUE.

A data frame or list returned by the AIGRA tabular generation backend.

Examples

```
keys <- aigra_set_api_keys()  
is.logical(keys)
```

aigra_set_backend	<i>Set the AIGRA Python backend</i>
-------------------	-------------------------------------

Description

Connects the R package to the AIGRA Python backend.

Sets the path to the AIGRA Python backend.

Usage

```
aigra_set_backend(backend_path = NULL)
```

```
aigra_set_backend(backend_path = NULL)
```

Arguments

backend_path	Path to the AIGRA_BACKEND folder. If NULL, uses the AIGRA_BACKEND_PATH environment variable.
--------------	--

Value

Invisibly returns backend configuration.

Invisibly returns the normalized backend path.

aigra_show_result_diagram	<i>Show a diagram from an AIGRA result row</i>
---------------------------	--

Description

Show a diagram from an AIGRA result row

Usage

```
aigra_show_result_diagram(result, row = 1)
```

Arguments

result	A data frame returned by AIGRA.
row	Row number to display.

Value

Invisibly returns the image path.

aigra_status	<i>Check AIGRA backend status</i>
--------------	-----------------------------------

Description

Checks whether the R package can access the Python backend.

Usage

```
aigra_status(backend_path = NULL)
```

Arguments

backend_path Optional path to the AIGRA_BACKEND folder.

Value

A list containing backend path, Python path, Python version, and import status.

aigra_summarise_output	<i>Summarise an AIGRA output</i>
------------------------	----------------------------------

Description

Summarises the latest or supplied AIGRA CSV output.

Usage

```
aigra_summarise_output(data = NULL)
```

Arguments

data Optional AIGRA output data frame. If NULL, reads the latest CSV output.

Value

A list with quality counts and simple rates.

aigra_template_items	Create an AIGRA tabular item-bank template
----------------------	--

Description

Creates a sample item-bank data frame with the required columns for CSV/Excel-based AIGRA generation.

Usage

```
aigra_template_items()
```

Value

A data frame containing sample item-bank rows.

aigra_translate_diagram_prompts	Translate/localize AIGRA diagram prompts using an LLM
---------------------------------	---

Description

This rewrites diagram prompts into the target language before image generation. Scientific symbols and units are preserved.

Usage

```
aigra_translate_diagram_prompts(  
  result,  
  target_language = "English",  
  provider = "gemini",  
  model = "gemini-3.1-pro-preview"  
)
```

Arguments

result	A data frame returned by AIGRA.
target_language	Target language for translated diagram prompts.
provider	Text LLM provider.
model	Text LLM model.

Value

Updated result data frame.

aigra_use_backend	<i>Use AIGRA backend</i>
-------------------	--------------------------

Description

Backward-compatible alias for [aigra_set_backend\(\)](#).

Usage

aigra_use_backend(backend_path = NULL)

Arguments

backend_path Optional backend path. If NULL, uses AIGRA_BACKEND_PATH.

Value

Invisibly returns backend path.

aigra_validate_tabular_items	<i>Validate a tabular AIGRA item bank</i>
------------------------------	---

Description

Checks a CSV or Excel item bank before parsing or generation.

Usage

aigra_validate_tabular_items(file_path)

Arguments

file_path Path to CSV or Excel item bank.

Value

A list containing validation status, issues, and a summary.

aigra_write_admin_html	<i>Write an AIGRA administration HTML file</i>
------------------------	--

Description

Creates a print-ready HTML file containing generated item stems, diagrams, response options, and an answer key.

Usage

```
aigra_write_admin_html(  
  result,  
  file = NULL,  
  title = "AIGRA Generated Assessment Items",  
  include_key = TRUE,  
  include_metadata = FALSE,  
  only_accepted = TRUE  
)
```

Arguments

result	A data frame returned by AIGRA, preferably after diagram generation.
file	Output HTML file. If NULL, writes to backend outputs folder.
title	Title shown at the top of the paper.
include_key	If TRUE, include answer key at the end.
include_metadata	If TRUE, show topic, section, and difficulty.
only_accepted	If TRUE, include only rows with status ok or edited.

Value

Path to the HTML file.

aigra_write_multimodal_template_excel	<i>Write an AIGRA multimodal Excel template</i>
---------------------------------------	---

Description

Creates source diagram PNGs and writes a ready-to-run Excel item bank.

Usage

```
aigra_write_multimodal_template_excel(
  file = NULL,
  diagram_dir = NULL,
  overwrite = FALSE
)
```

Arguments

file	Output Excel file path.
diagram_dir	Directory for source diagram PNGs.
overwrite	If TRUE, overwrite the Excel file.

Value

Path to the Excel file.

aigra_write_report	<i>Write an AIGRA HTML report</i>
--------------------	-----------------------------------

Description

Writes a CRAN-safe local HTML report from an AIGRA result data frame. If diagram_path is present, generated diagrams are shown inline.

Usage

```
aigra_write_report(result = NULL, file = NULL, title = "AIGRA Quality Report")
```

Arguments

result	A data frame returned by AIGRA. If NULL, reads latest output.
file	Output HTML path. If NULL, writes to backend outputs folder.
title	Report title.

Value

Path to the report.

`aigra_write_template_csv`*Write an AIGRA CSV item-bank template*

Description

Write an AIGRA CSV item-bank template

Usage

```
aigra_write_template_csv(file = "aigra_item_template.csv", overwrite = FALSE)
```

Arguments

<code>file</code>	Output CSV file path.
<code>overwrite</code>	If TRUE, overwrite an existing file.

Value

The normalized output file path.

`aigra_write_template_excel`*Write an AIGRA Excel item-bank template*

Description

Write an AIGRA Excel item-bank template

Usage

```
aigra_write_template_excel(  
  file = "aigra_item_template.xlsx",  
  overwrite = FALSE  
)
```

Arguments

<code>file</code>	Output Excel file path.
<code>overwrite</code>	If TRUE, overwrite an existing file.

Value

The normalized output file path.

ensure_aigra_python	<i>Ensure 'AIGRA' 'Python' Environment</i>
---------------------	--

Description

Creates or repairs the 'Python' virtual environment used by the 'AIGRA' backend.

Usage

```
ensure_aigra_python(
    backend_path = NULL,
    python_version = "3.11",
    force = FALSE,
    install_providers = TRUE,
    verbose = FALSE
)
```

Arguments

backend_path	Path to the 'AIGRA' backend folder. If NULL, the AIGRA_BACKEND_PATH environment variable is used.
python_version	'Python' version to use with 'uv'.
force	If TRUE, recreate the virtual environment.
install_providers	If TRUE, install provider packages.
verbose	If TRUE, show progress messages.

Value

A list with 'Python' environment information.

Examples

```
# This function creates or repairs a backend environment,
# so the example only inspects the function interface.
names(formals(ensure_aigra_python))
```

Index

aigra_apply_diagram_agent, [3](#)
aigra_backend_help, [3](#)
aigra_backend_path, [4](#)
aigra_build_diagram_prompt, [4](#)
aigra_build_diagram_prompt_from_row, [5](#)
aigra_create_sample_source_diagrams, [5](#)
aigra_detect_diagram_required, [6](#)
aigra_example_item_bank, [6](#)
aigra_find_uv, [7](#)
aigra_generate_diagram, [7](#)
aigra_generate_diagram_fallback, [8](#)
aigra_generate_from_data, [8](#)
aigra_generate_items, [9](#)
aigra_generate_items(), [8](#), [9](#)
aigra_generate_multimodal_tabular_items,
 [11](#)
aigra_generate_result_diagrams, [12](#)
aigra_generate_result_diagrams_auto,
 [13](#)
aigra_generate_tabular_items, [14](#)
aigra_generate_tabular_items(), [10](#)
aigra_image_models, [15](#)
aigra_latest_csv, [15](#)
aigra_latest_output, [16](#)
aigra_list_outputs, [16](#)
aigra_localize_diagram_prompts, [16](#)
aigra_multimodal_template_items, [17](#)
aigra_output_dir, [17](#)
aigra_outputs, [18](#)
aigra_parse_items, [18](#)
aigra_parse_tabular_items, [19](#)
aigra_plot_diagram, [19](#)
aigra_plot_summary, [20](#)
aigra_print_summary, [20](#)
aigra_print_validation, [21](#)
aigra_python_info, [21](#)
aigra_read_latest_csv, [22](#)
aigra_read_latest_output, [22](#)
aigra_read_template, [22](#)
aigra_repair_diagram_prompts, [23](#)
aigra_set_api_keys, [24](#)
aigra_set_backend, [25](#)
aigra_set_backend(), [28](#)
aigra_show_result_diagram, [25](#)
aigra_status, [26](#)
aigra_summarise_output, [26](#)
aigra_template_items, [27](#)
aigra_translate_diagram_prompts, [27](#)
aigra_use_backend, [28](#)
aigra_validate_tabular_items, [28](#)
aigra_validate_tabular_items(), [21](#)
aigra_write_admin_html, [29](#)
aigra_write_multimodal_template_excel,
 [29](#)
aigra_write_report, [30](#)
aigra_write_template_csv, [31](#)
aigra_write_template_excel, [31](#)
ensure_aigra_python, [32](#)